








Phytocannabinoid Boiling Points

Structure	Concentration (% dry weight)	Boiling Point	Properties
 <p>Δ-9-tetrahydrocannabinol</p>	0.1-25%	157°C	Euphoriant Analgesic Antiinflammatory Antioxidant Antiemetic
 <p>cannabidiol</p>	0.1-2.89%	160-180°C	Anxiolytic Analgesic Antipsychotic Antiinflammatory Antioxidant Antispasmodic
 <p>cannabinol</p>	0.0-1.6%	185°C	Oxidation breakdown product Sedative Antibiotic
 <p>cannabichromene</p>	0.0-0.65%	220°C	Antiinflammatory Antibiotic Antifungal
 <p>cannabigerol</p>	0.03-1.15%	N/A	Antiinflammatory Antibiotic Antifungal
 <p>Δ-8-tetrahydrocannabinol</p>	0.0-0.1%	175-178°C	Resembles Δ-9-THC Less psychoactive More stable Antiemetic
 <p>tetrahydrocannabivarin</p>	0.0-1.36%	< 220°C	Analgesic Euphoriant

Adapted from *Cannabis and Cannabis Extracts: Greater Than the Sum of Their Parts?* McPartland & Russo, 2001 Haworth Press
 Copyright Project CBD. May not be reprinted without permission